

SEQUENCE LISTING

<110>	Eckstein, Fritz	
	Pieken, Wolfgang	
	Benseler, Fritz	
	Olsen, David B.	
	Williams, David M.	
	Heidenreich, Olaf	
	Sirna Therapeutics, Inc.	
<120>	Modified Ribozymes	
	00.000.000.000	
<130>	MBHB 00-838-A; 228/213	
-1 A A \	US 08/936657	
	1997-09-24	
	1331 43 64	
<150>	US 07/965,411	
	1993-08-09	
<160>	15	
<170>	PatentIn version 3.1	
<210>		
<211>		
<212>		
(213>	Artificial Sequence	
<220>		
	Ribozyme	
	•	
<400>	1	
gatatc	etga etecetatag tgagtegtat ta	32
220.	7	
<210>		
<212>		
	Artificial Sequence	
	•	
<220>		
<223>	Ribozyme	
<400>	2	
taatac	gact cactataggg agtcaggata tctgca	36
-210-	,	
<210><211>		
<211>		
	Artificial Sequence	
<220>		
<223>	Ribozyme	

ggagtt	togg octaacggoc toatcagagg accotatagt gagtogtatt a	
<210>	4	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Ribozyme	
	4	
taatac	gact cactataggg tectetgatg aggeogttag geogaaacte etgea	
<210>	5	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Ribozyme	
<400>	5	
gggucc	ucug augaggeegu uaggeegaaa euce	
<210>	6	
<210>		
<212>		
	Artificial Sequence	
	uttitionar padacuer	
<220>		
<223>	Ribozyme	
<220>		
<221>	misc_feature	
<223>	All $\overline{\mathbb{U}}$ nucleic acids are 2'-fluoro derivatives.	
<400>	6	
gggucc	ucug augaggeegu uaggeegaaa euce	
<210>	7	
<211>		
<212>		
	Artificial Sequence	
<220>		
	Ribozyme	
<220>		
<221>	misc_feature	
	All U nucleic acids are 2'-amino derivatives.	58441851114 <u>8</u>

	<400>	7	
	gggucc	ucug augaggoogu uaggoogaaa cuco	34
	<210>	8	
	<211>	12	
	<212>		
	<213>	Artificial Sequence	
	<220>		
	<223>	Substrate	
	<400>		
	gggagu	cagg au	12
	<210>		
	<211>		
	<212>		
	<213>	Artificial Sequence	
	<220>		
		Substrate	
	4443 2	Subscrace	
	<220>		
		misc_feature	
	<223>	All U nucleotides are 2'-fluoro derivatives	
	<400>	9	
	gggagu	icagg au	12
	<210>		
	<211>		
	<212>		
•	<213>	Artificial Sequence	
	224		
	<220>	Substrate	
	<223>	Substrace	
	<220>		
	2.555 MV/M/G000000000000	misc_feature	
		<u>,</u>	
		(7)(7) 2'-fluoro derivative	
•	~6637	g agents horring	
	<400>	10	
		ucagg au	12
	<210>	11	
	→ 2311×	1.7	

<212> RNA

```
<213> Artificial Sequence
<220>
<223> Substrate
<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-amino derivative
<400> 11
                                                                     12
gggagucagg au
<210> 12
      13
<211>
<212> DNA
<213> Artificial Sequence
<220>
<223> Substrate
<220>
<221> misc_feature
<222> (13)..(13)
<223> N stands for any one or more A, T, G, C.
<400> 12
                                                                     13
gggagucagg aun
<210> 13
<211> 13
<212> DNA
<213> Artificial Sequence
 <220>
<223> Substrate
 <220>
 <221> misc_feature
 <223> All U nucleotides are 2'-fluoro derivatives.
<220>
<221> misc_feature
<222> (13)..(13)
<223> N stands for one or more modified or unmodified nucleotides.
```

13

<400> 13

gggagucagg aun

<210>	14	
<211>	12	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Substrate	
<220>		
<221>	misc_feature	
<223>	All U nucleotides are 2'-fluoro derivatives.	
<400>	7,4	
		12
999994	icagg au	
<210>	15	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Ribozyme	
<400>		
cacaac	cacug augaggeegu uaggeegaaâ egggea	36